

GIOTTO


Design
Roberto Paoli

Collection
GIOTTO 80
GIOTTO 110
GIOTTO 140



GIOTTO - 80


Design
Roberto Paoli



PRODUCT	Category: Categoria: Catégorie:	Hanging lamp Lampada a sospensione Lampe à suspension	PACKAGING	Packaging dimensions: Dimensioni imballaggio: Dimensions emballage:	90 x 90 h 10 cm
	Years of production: Anno di produzione: Année de production:	2019		Packaging volume: Volume Imballaggio: Volume emballage:	0,081 m³
	Materials: Materiali: Matériaux:	Polyethylene Polietilene Polyéthylène		Total weight: Peso totale: Poids total:	7 Kg
	Dimensions: Dimensioni: Dimensions:	Ø80 h 7 cm		No. of cartons: Nr. di imballi: N°. de cartons:	1
	Weight: Peso: Poids:	5 Kg		Notes: Note: Notes:	


LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

2700K

CODE CODICE CODE	LP GTT082	    		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	35W LED system max 1800 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Extra warm white led light 2700K Luce calda led bianco extra 2700K Lumière chaude LED blanc extra 2700K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 (RAL 9010) LACQUERED WHITE			
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

3000K

CODE CODICE CODE	LP GTT081	    		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	35W LED system max 1800 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Cool white led light 3000K Luce fredda led bianco 3000K Lumière froide LED blanc 3000K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 (RAL 9010) LACQUERED WHITE			
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

4000K


CODE CODICE CODE	LP GTT080	     			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	35W LED system max 1800 lumen	Included Incluso Inclus	
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m	
	Light temperature: Temperatura luce: Température de la lumière:	Cool white led light 4000K Luce fredda led bianco 4000K Lumière froide LED blanc 4000K			
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver	
COLOURS COLORI COULEURS	LIGHTING COLOURS				
	 LIGHT WHITE				
	SUPPORT				
NOTES NOTE NOTES	 LACQUERED WHITE (RAL 9010)				
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm				

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

RGB

CODE CODICE CODE	LP GTT083	     			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	35W LED system max 1775 lumen	Included Incluso Inclus	
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m	
	Light temperature: Temperatura luce: Température de la lumière:				
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:		On request: Su richiesta: Sur demande:		
COLOURS COLORI COULEURS	LIGHTING COLOURS				
	 LIGHT WHITE				
	ACCESSORY				
NOTES NOTE NOTES	 LACQUERED WHITE (RAL 9010)				
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm				

DIMMER LED KIT




Dimming remote control
and LED controller

CODE CODICE CODE	LP DIM001 (LED controller)			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Dimensions: Dimensioni: Dimensions:	10 x 3 h 2 cm	Weight: Peso: Poids:	0,1 Kg
NOTES NOTE NOTES	LED controller (for nr.1 lamp). Remote control required. LED controller (per nr.1 lampada). Telecomando richiesto. LED controller (pour lampe nr.1). Télécommande requise.			
CODE CODICE CODE	LP DIM002 (remote control)			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Dimensions: Dimensioni: Dimensions:	12 x 5 h 2 cm	Weight: Peso: Poids:	0,1 Kg
NOTES NOTE NOTES	RF dimming remote controller, wireless remote 30m distance (for one or more lamps). Telecomando dimmerabile RF, telecomando wireless a 30 m di distanza (per una o più lampade). Télécommande à gradation RF, distance sans fil de 30 m (pour une ou plusieurs lampes).			
	Inserted into the Giotto box if purchased at the same time. Inserito nella scatola Giotto se acquistato contemporaneamente. Inséré dans le carton Giotto si acheté en même temps.			

GIOTTO - 110


Design
Roberto Paoli



PRODUCT	Category: Categoria: Catégorie:	Hanging lamp Lampada a sospensione Lampe à suspension	PACKAGING	Packaging dimensions: Dimensioni imballaggio: Dimensions emballage:	120 x 120 h 10 cm
	Years of production: Anno di produzione: Année de production:	2019		Packaging volume: Volume Imballaggio: Volume emballage:	0,144 m³
	Materials: Materiali: Matériaux:	Polyethylene Polietilene Polyéthylène		Total weight: Peso totale: Poids total:	12 Kg
	Dimensions: Dimensioni: Dimensions:	Ø110 h 7 cm		No. of cartons: Nr. di imballi: N°. de cartons:	1
	Weight: Peso: Poids:	8 Kg		Notes: Note: Notes:	


LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

2700K

CODE CODICE CODE	LP GTT112	    		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	50W LED system max 2500 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Extra warm white led light 2700K Luce calda led bianco extra 2700K Lumière chaude LED blanc extra 2700K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

3000K

CODE CODICE CODE	LP GTT111	    		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	50W LED system max 2500 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Cool white led light 3000K Luce fredda led bianco 3000K Lumière froide LED blanc 3000K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

4000K


CODE CODICE CODE	LP GTT110	     		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	50W LED system max 2500 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Cool white led light 4000K Luce fredda led bianco 4000K Lumière froide LED blanc 4000K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 LACQUERED WHITE (RAL 9010)			
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

RGB

CODE CODICE CODE	LP GTT113	     		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	50W LED system max 1775 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:			
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:		On request: Su richiesta: Sur demande:	
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	ACCESSORY			
NOTES NOTE NOTES	 LACQUERED WHITE (RAL 9010)			
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

DIMMER LED KIT


Dimming remote control
and LED controller

CODE CODICE CODE	LP DIM001 (LED controller)			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Dimensions: Dimensioni: Dimensions:	10 x 3 h 2 cm	Weight: Peso: Poids:	0,1 Kg
NOTES NOTE NOTES	LED controller (for nr.1 lamp). Remote control required. LED controller (per nr.1 lampada). Telecomando richiesto. LED controller (pour lampe nr.1). Télécommande requise.			
CODE CODICE CODE	LP DIM002 (remote control)			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Dimensions: Dimensioni: Dimensions:	12 x 5 h 2 cm	Weight: Peso: Poids:	0,1 Kg
NOTES NOTE NOTES	RF dimming remote controller, wireless remote 30m distance (for one or more lamps). Telecomando dimmerabile RF, telecomando wireless a 30 m di distanza (per una o più lampade). Télécommande à gradation RF, distance sans fil de 30 m (pour une ou plusieurs lampes).			
	Inserted into the Giotto box if purchased at the same time. Inserito nella scatola Giotto se acquistato contemporaneamente. Inséré dans le carton Giotto si acheté en même temps.			

GIOTTO - 140

Design
Roberto Paoli


MADE IN ITALY



PRODUCT	Category: Categoria: Catégorie:	Hanging lamp Lampada a sospensione Lampe à suspension	PACKAGING	Packaging dimensions: Dimensioni imballaggio: Dimensions emballage:	150 x 150 h 10 cm
	Years of production: Anno di produzione: Année de production:	2019		Packaging volume: Volume Imballaggio: Volume emballage:	0,225 m ³
	Materials: Materiali: Matériaux:	Polyethylene Polietilene Polyéthylène		Total weight: Peso totale: Poids total:	17 Kg
	Dimensions: Dimensioni: Dimensions:	Ø140 h 7 cm		No. of cartons: Nr. di imballi: N°. de cartons:	1
	Weight: Peso: Poids:	12 Kg		Notes: Note: Notes:	


LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

2700K

CODE CODICE CODE	LP GTT142	    		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	65W LED system max 3200 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Extra warm white led light 2700K Luce calda led bianco extra 2700K Lumière chaude LED blanc extra 2700K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 (RAL 9010) LACQUERED WHITE			
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

3000K

CODE CODICE CODE	LP GTT141	    		
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	65W LED system max 3200 lumen	Included Incluso Inclus
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m
	Light temperature: Temperatura luce: Température de la lumière:	Cool white led light 3000K Luce fredda led bianco 3000K Lumière froide LED blanc 3000K		
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver
COLOURS COLORI COULEURS	LIGHTING COLOURS			
	 LIGHT WHITE			
	SUPPORT			
NOTES NOTE NOTES	 (RAL 9010) LACQUERED WHITE			
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm			

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

4000K


CODE CODICE CODE	LP GTT140	     			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	65W LED system max 3200 lumen	Included Incluso Inclus	
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m	
	Light temperature: Temperatura luce: Température de la lumière:	Cool white led light 4000K Luce fredda led bianco 4000K Lumière froide LED blanc 4000K			
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:	Dimmer Led Kit Dimmer Led Kit Dimmer Led Kit	On request: Su richiesta: Sur demande:	Dali driver	
COLOURS COLORI COULEURS	LIGHTING COLOURS				
	 LIGHT WHITE				
	SUPPORT				
NOTES NOTE NOTES	 LACQUERED WHITE (RAL 9010)				
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm				

LIGHTING LED / LED LUMINOSO / LUMINEUSE LED

RGB

CODE CODICE CODE	LP GTT143	     			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Lithing system: Sistema di illuminazione: Système d'éclairage:	Neonflex strip led Neonflex strip led Neonflex strip led	65W LED system max 1775 lumen	Included Incluso Inclus	
	Wiring: Cablaggio: Câblage:	White cable + driver included Cavo bianco + driver incluso Câble blanc + transformateur inclus		Length: 3 m Lunghezza: 3 m Longueur: 3 m	
	Light temperature: Temperatura luce: Température de la lumière:				
	Accessory on request: Accessorio su richiesta: Accessoire sur demande:		On request: Su richiesta: Sur demande:		
COLOURS COLORI COULEURS	LIGHTING COLOURS				
	 LIGHT WHITE				
	ACCESSORY				
NOTES NOTE NOTES	 LACQUERED WHITE (RAL 9010)				
	 metal ceiling cap included with 3 fixing steel cables Ø 300 h 52 mm				

DIMMER LED KIT

Dimming remote control
and LED controller

CODE CODICE CODE	LP DIM001 (LED controller)			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Dimensions: Dimensioni: Dimensions:	10 x 3 h 2 cm	Weight: Peso: Poids:	0,1 Kg
NOTES NOTE NOTES	LED controller (for nr.1 lamp). Remote control required. LED controller (per nr.1 lampada). Telecomando richiesto. LED controller (pour lampe nr.1). Télécommande requise.			
CODE CODICE CODE	LP DIM002 (remote control)			
TECHNICAL INFO INFO TECNICHE INFOS TECHNIQUES	Dimensions: Dimensioni: Dimensions:	12 x 5 h 2 cm	Weight: Peso: Poids:	0,1 Kg
NOTES NOTE NOTES	RF dimming remote controller, wireless remote 30m distance (for one or more lamps). Telecomando dimmerabile RF, telecomando wireless a 30 m di distanza (per una o più lampade). Télécommande à gradation RF, distance sans fil de 30 m (pour une ou plusieurs lampes).			
	Inserted into the Giotto box if purchased at the same time. Inserito nella scatola Giotto se acquistato contemporaneamente. Inséré dans le carton Giotto si acheté en même temps.			



EN - Warning: the appropriate use of these instructions ensures the good maintenance of the product. Always consult the technical sheet of the product on the www.slidedesign.it website.

- Before any operation on the fixture, please disconnect the power supply.
- Assembly and maintenance of the fixture must be performed carefully so components are not damaged.
- Replacement bulbs must be the same type and wattage as specified in the technical sheet. Use LED bulbs only.
- In case of damage to the feeding cable, please contact a SLIDE dealer or qualified personnel for replacement.
- Keep away from excessive heat sources.
- Avoid any improper use. Do not stand on the products. When the product has to be moved, lift the product off the ground in order to avoid damages.
- Always protect the product with its original packaging when not in use for a long time.



IT - Attenzione: l'uso appropriato delle seguenti istruzioni garantisce il buon mantenimento del prodotto, pertanto è necessario conservarle. Consultare la scheda tecnica del prodotto sul sito www.slidedesign.it.

- Prima di ogni operazione sull'apparecchio, disinserire la tensione di rete.
- Le operazioni di montaggio o manutenzione devono essere eseguite con la massima attenzione per non danneggiare i componenti.
- L'eventuale sostituzione della lampadina deve essere fatta con una dello stesso tipo e potenza massima indicata nella scheda tecnica. Si raccomanda l'uso esclusivo di lampadine a basso consumo energetico.
- In caso di danneggiamento del cavo di alimentazione, per la sostituzione contattare un rivenditore SLIDE o personale qualificato.
- Evitare di posizionare il prodotto in prossimità di fonti di calore eccessive.
- Evitare usi impropri e non consoni del prodotto. Non salire con i piedi sul prodotto. In caso di spostamento, sollevare il prodotto onde evitare danni ai componenti che appoggiano a terra.
- Proteggere sempre il prodotto con il suo imballo originale quando inutilizzato per lungo tempo.



FR - Attention: l'entretien correct du produit est garanti par l'application appropriée de ces instructions. Il est donc nécessaire de les garder. Toujours consulter la fiche technique du produit sur le site www.slidedesign.it.

- Avant toute opération sur l'appareil déconnecter l'alimentation électrique.
- Le montage et les manipulations de l'appareil devront être exécutés avec la plus grande attention pour ne pas abîmer ses composants.
- Tout changement d'ampoule respectera le type et la puissance indiqués dans la fiche technique. Il est recommandé de n'utiliser que des ampoules à basse consommation d'énergie.
- En cas d'endommagement du câble d'alimentation, et en vue de son remplacement, contactez votre revendeur SLIDE ou une personne dûment habilitée.
- Éviter de placer le produit à proximité de sources de chaleur excessive.
- Éviter l'utilisation inappropriée du produit. Ne pas monter sur les produits. Lorsque le produit doit être déplacé, soulever le produit afin d'éviter tout dommage.
- Toujours protéger le produit avec son emballage d'origine lorsqu'il n'est pas utilisé.

WARRANTY | GARANZIA | GARANTIE

EN - SLIDE products are guaranteed against all manufacturing faults, granted that the items are appropriately used, for twenty-four (24) months from the date of purchase upon presentation of the invoice.

LEDs are guaranteed for twelve (12) months from the date of purchase.

Warranty doesn't include parts that are subject to wear and tear due to usage, batteries when provided, wiring and electrical parts that do not have manufacturing faults.

SLIDE declines any liability to damages caused to things or persons by an illegitimate use of the product.

SLIDE won't accept any returned goods without having checked the kind of defects first.

IT - I prodotti SLIDE sono garantiti per difetti di fabbricazione in condizioni normali d'uso del prodotto, per un periodo di ventiquattro (24) mesi dalla data di acquisto, comprovata da documento d'acquisto.

Per i sistemi di illuminazione LED la garanzia è di dodici (12) mesi dalla data di acquisto.

Sono escluse dalla garanzia le parti soggette ad usura in seguito all'utilizzo, le batterie quando fornite in dotazione, cavi e componenti elettrici, che non presentino difetti di fabbricazione.

SLIDE declina ogni responsabilità per danni causati a cose o persone da un uso non corretto del prodotto.

SLIDE non accetterà nessun reso se non dopo aver accertato la natura del difetto.

FR - Les produits SLIDE sont garantis contre les vices de fabrication dans des conditions d'utilisation normales, pour une période de vingt-quatre (24) mois à compter de la date d'achat, avec la preuve d'achat.

Pour les systèmes d'éclairage LED la garantie est de douze (12) mois à compter de la date d'achat.

La garantie ne couvre pas les pièces d'usure après utilisation, les piles si fournis, et câbles et composants électriques qui n'ont pas de défauts de fabrication.

SLIDE décline toute responsabilité pour les dommages causés aux personnes ou aux biens dus à une utilisation inappropriée du produit. SLIDE ne remplacera aucun appareil sans avoir pu en constater le défaut.

MAINTENANCE & CLEANING | MANUTENZIONE & PULIZIA | MAINTENANCE & NETTOYAGE

EN - Check the material composition of the product on the technical sheet on www.slidedesign.it.

- To prevent dust and dirt from sticking to the plastic surfaces, periodically clean the products.
- Avoid using ethanol or any liquids containing acetone, trichloroethylene or ammonia (solvents in general).
- **POLYETHYLENE:** clean the product with a damp cloth and neutral liquid soap diluted in water.
It is recommended the use of SLIDE's "CleanUp" cleaner or a degreaser. In case of persistent stains, use a scrub eraser (melamine foam - Scotch-Brite Easy Eraser or similar) or a hot water pressure washer.
Spray the cleaning product on the surface, rub with a damp cloth and rinse abundantly with hot water.
- **POLYURETHANE:** clean the products with a soft cloth and neutral liquid soap diluted in water, especially if the surface comes into contact with highly coloured substances (such as coffee, tea, oil, etc.).
- **POLYPROPYLENE:** clean the products with a damp cloth and neutral liquid soap diluted in water and degreaser.
Rinse with plenty of water.
- Lacquered version: periodically clean with a polish cleaner, gently rubbing with soft cloth/cotton wool.
- Fabrics can be cleaned with a damp cloth, neutral liquid soap and water.
- For metal parts use specific cleaners.
- For **HPL**, clean the surface with a damp cloth and neutral liquid soap diluted in water.

IT - Verificare il materiale di composizione del prodotto sulla scheda tecnica sul sito www.slidedesign.it.

- Evitare accumuli di polvere o di sporco sulle superfici e pulire periodicamente il prodotto.
- Evitare l'uso di alcool e di detersivi contenenti acetone, trielina e ammoniaca (solventi in generale).
- **POLIETILENE:** pulire il prodotto con un panno umido e detersivo liquido neutro, diluito con acqua.
È consigliato l'utilizzo del pulitore "CleanUp" di SLIDE o di uno sgrassatore e, in caso di macchie persistenti, l'utilizzo di gomma cancella-macchie (schiuma di melamina: Scotch-Brite o simili) o idropulitrice ad acqua calda. Spruzzare lo sgrassatore sulla superficie da trattare e strofinare con un panno umido.
Risciacquare abbondantemente con acqua, preferibilmente con idropulitrice ad acqua calda.
- **POLIURETANO:** pulire il prodotto con un panno morbido, frizionando, soprattutto nel caso la superficie venga a contatto con sostanze particolarmente coloranti (es. caffè, tè, olio, ecc). Utilizzare solo prodotti neutri in soluzione acquosa.
- **POLIPROPILENE:** pulire con un panno umido e acqua con detersivo sgrassante. Risciacquare abbondantemente con acqua.
- Per la versione laccata: pulire periodicamente con una pasta tipo "polish" o cera auto, strofinando delicatamente con ovatta.
- Per la pulizia dei tessuti utilizzare un panno umido con sapone neutro e acqua.
- Per le parti metalliche utilizzare prodotti specifici evitando l'uso di polveri abrasive e pagliette.
- Per l'**HPL**, pulire il prodotto con un panno umido e detersivo liquido neutro, diluito con acqua.

FR - Vérifier la composition des matériaux du produit sur la fiche technique sur www.slidedesign.it.

- Eviter l'accumulation de poussière et de saleté sur la surface et nettoyer régulièrement le produit.
- Eviter d'utiliser alcool et détergents contenant de l'acétone, du trichloréthylène et de l'ammoniac (solvants en général).
- **POLYETHYLENE:** nettoyer le produit avec un chiffon humide et un détergent liquide neutre dilué avec de l'eau.
Il est recommandé d'utiliser le détergent "CleanUp" de SLIDE ou un dégraissant et, en cas de taches persistantes, d'utiliser une éponge grattante (mousse de mélamine: Scotch-Brite ou similaire) ou nettoyeur haute pression d'eau chaude.
Vaporiser le produit sur la surface, frotter avec un chiffon humide et rincer abondamment avec de l'eau.
- **POLYURETHANE:** nettoyer le produit avec un chiffon, en frottant, surtout si la surface est entrée en contact avec des substances particulièrement colorantes. N'utiliser que des produits neutres en solution aqueuse.
- **POLYPROPYLENE:** nettoyer avec un chiffon humide et de l'eau avec un détergent dégraissant.
Rincer abondamment avec de l'eau.
- Version laquée: utiliser périodiquement une pâte de type "polish" ou de la cire, en frottant doucement avec un chiffon.
- Pour nettoyer les tissus utiliser un chiffon humide avec un savon doux et de l'eau.
- Pour les parties métalliques, utiliser des produits spécifiques.
- Pour l'**HPL**, nettoyer la surface avec un chiffon humide et un détergent liquide neutre dilué avec de l'eau.



Product made with 100% recyclable material.
Prodotto in materiale riciclabile al 100%.
Produit réalisé en matériel 100% recyclable.



Certifies the conformity of the product to the European Community instructions.
Certifica la conformità del prodotto alle disposizioni delle direttive comunitarie.
Atteste la conformité du produit aux dispositions des directives communautaires.



Appliance suitable for installation on normally inflammable surfaces.
Apparecchio idoneo ad essere installato su superfici normalmente infiammabili.
L'appareil peut être installé sur des surfaces normalement inflammables.



Recycling and disposal of electronic waste (WEEE).
Questo prodotto richiede uno smaltimento differenziato (RAEE).
Ce produit nécessite un tri sélectif (DEEE).